Receiving Report

	ate: <u>My/17</u> upplier: <u>MxJAv</u>	_ >> C∂5	411	Batch No: Dart P/O:	m1.	3729	- -
Packing Slip: Invoice: Receipt: New Supplier	Yes No No Cash Cr Yes No No		Waybill At	Complete: pection	Yes	No No No	N/A N/A N/A N/A
Discrepancies		Quantity	Quantity	Quantity	Quantity	Quantity	Comment / NCR Number
Part Number	Description	Ordered	Rec'd	Short	Inspected	Rejected	Namo.
				Initials of	Receiver	QC12	
Production/Ac Date Received/Cos Initial	14/4/1/					Locatio	n

H:\FORMS\Purchasing\approved purch\RECREPORT Rev F

All amounts are calculated in domestic currency.

Thursday, April 17, 2014 1:39:36 PM

All Vendors PO ID PO23729 Receipt Dates from 4/17/2014 to 4/17/2014 All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies

Grouped by Vendor ID

Purchase Line bind Project ID Reference Coor Type Code Bind Line bind Project ID Reference Coor Type Code Bind Project ID Reference Coor Type Code Bind Project ID Reference Coor Type Code Bind Rev Obyside Code Bind Coor Project ID Reference Code Bind National Dynamic Code Bind Rev Obyside Code Size Code Bind Code Project ID Reference Code Bind National Dynamic Code Bind Application Code Bind National Dynamic Code Bind Application Code Bind National Dynamic Code Bind Application Code Bin	0.0000	Quantity:	Total Balance Due Quantity:	T_0							
Project DR Reference PO UM/ Required Date Recv Cost Per Unit Inspected Qty NRB Qty Description Stock U/M Required Date Recv Cert Sid Reported Qty Recv Emp (PO U/M) Reported Qty NRB Reject Qty	\$1 324 97	at Value	Total Pagair								
POLIM Required Date Recr Loss Per Unit Inspected Oty MRB Oty Date	0.0000	Quantity:	Total Reject (
Project ID Reference/ Reference/ Reference/ Stock U/M Required Date Recv Date/ Date/ Red Recv Cost Per Unit Impacted Qty MRB Qty Red Recv Date/ Recv Recv Date/ Da	0.0000	O U/M):	I Qty to Inspect (P	Total							
Project D Reference PO M/M Required Date Recv Emp Cost Per Unit Inspected Qby MRB Qby Recv Side Cost State Reprised Po Marco	196.5833	Quantity:	Total Received C								
Project ID Reference PO UM Required Date Recv								00000	m128882		
Project ID Reference/		0	0.0000	\$0.00			1.0000	NT NT	PROCUREME!	No	
Project ID Reference/	\$0.00	0	0.0000	\$0.00	1.0000		4/17/2014		71401-45	7	
Project ID Reference/ Description/ Cert Std PO U/M/ Stock U/M Required Oate Required Oay Reev Emp Reev (PO U/M) Reev (PO U/M) Cost Per Unit/ Registed Oay Reev Value Inspected Oay Registed Oay Registed Oay Reev Value MRB Qty/ Registed Oay Reev Value Bod VC.METIOI Metaux Castle M303H0.500 — f 303 HEX BAR.500 f 4/17/2014 4/17/2014 24,0000 \$3.75 0.0000 0 0 M303R0.750 — f 304 ROADA 52X3.000 f 4/17/2014 4/17/2014 96,5000 \$3.37 0.0000 0 0 M304B0.62X3.000 f 304 BAR.62X3.000 f 4/17/2014 4/17/2014 112,5000 DESJ02 \$325.61 0.0000 0 0 M304B0.50X3.250 f 304 BAR.500 x 2.50 f 0.375 4/17/2014 4/17/2014 12.5833 \$21.54 0.0000 0 0 M304B0.50X3.250 f 304 ROUND BAR 4/17/2014 4/17/2014 25.5000 \$13.41 0.0000 0 0 M304B0.50X3.250 f 304 ROUND BAR 4/17/2014 4/17/2014 25.5000 \$13.41 0.0000 0 0 M304 ROUND BAR f 4/17/2014 4/17/2014 4/17/20									m128882		
Project ID Reference/ Description/ Cert Std PO U/M/ Stock U/M Required Date Required Qiy Rev Emp Recv PO U/M Cost Per Unit/ Po U/M Inspected Qiy Recv Value MRB Qty Rejected Qiy Recv Value MRB Qty Rejected Qiy Recv Value MRB Qty Reperted Qiy Recv Value MRB Qty Reperted Qiy Recv Value MRB Qty Recv Value Rejected Qiy Recv Value MRB Reject Report All PO U/M MRB Reject Qiy MRB Reject Report All PO U/M MRB Reject Report All PO U/M MRB Reject Rev Value Recv Value Rev Value Recv Value Rev Value Report All Report All PO U/M MRB Reject Rev Value Report All Report All Rep									1.750		
Project ID Reference/ Description/ Description/ Project ID Rescription/ Project ID Recription/ Project ID Recription/ Stock I/M Required Date/ Required Date/ Date/ Date/ Date/ Date/ Pro I/M Recv Project ID Recry Value Rejected Qty AIR B Qty/ Recry Value Rejected Qty MRB Reject Recry Date/ Pro I/M Box Project ID Recry Value Rejected Qty MRB Reject Recry Date/ Pro I/M Box Project ID Recry Value Recry Value Recry Value Rejected Qty MRB Reject Recry Date/ Recry Value Recry Date/ Recry Date/ Recry Date/ Recry Value Recry Date/ Recry Value Recry Date/ Recry Value Recry Date/ Recry Value Recry Date/		0	0.0000	\$240.37	p-dell'		12.0000	AR f	304 ROUND B.	No	
Project ID Reference/ Description/ Cert Std PO UM1/ Stock U/M Required Date Required Qty Reev Emp Recy Date/ (PO U/M) Recy (PO U/M) Cost Per Unit/ Rev Emp Inspected Qty (PO U/M) MRB Qty Rejected Qty Rev Emp Boo VC-MET001 Metaux Castle M303H0.500 - f 4/17/2014 4/17/2014 24,0000 \$3.75 0.0000 0 0 M303H0.500.750 - f 4/17/2014 4/17/2014 96,5000 \$3.37 0.0000 0 0 M303B0.625X3.000 f 4/17/2014 4/17/2014 96,5000 \$3.35 0.0000 0 \$ M304B0.625X3.000 f 4/17/2014 4/17/2014 12,5833 \$21,54 0.0000 0 \$ M304B0.500X2.500 f 4/17/2014 4/17/2014 25,5000 \$13,41 0.0000 0 \$ M304B0.500X2.500 f 4/17/2014 4/17/2014 25,5000 \$13,41 0.0000 0 \$ M304B0.500X2.500 f 4/17/2014 4/17/2014 25,5000 \$13,41 0.0000 0 \$ M304R0.315 f 4/	\$240.37	0	0.0000	\$18.49	13.0000	4/17/2014	4/17/2014	f	M304R1.750	6	
Project ID Reference/ Description/ Cert Std PO U/M / Stock U/M Required Date Required Opy Rev Emp Rever Po U/M / PO U/M Cost Per Unit/ (PO U/M) Inspected Opy Rev Emp MRB Qiy/ (PO U/M) Boo VC-MET001 Metaux Castle M303H0.500 - f 4/17/2014 4/17/2014 24,0000 S3.75 0.0000 0 0 M303R0.750 - f 4/17/2014 4/17/2014 96,5000 S3.37 0.0000 0 0 M304B0.625X3.000 f 96,0000 DESJ02 83.37 0.0000 0 8 M304B0.50X2.500 f 4/17/2014 4/17/2014 12.5833 \$21.54 0.0000 0 \$ M304B0.50X2.500 f 4/17/2014 4/17/2014 12.5833 \$271.03 0.0000 0 \$ M304B0.50X2.500 f 4/17/2014 4/17/2014 25.5000 \$13.41 0.0000 0 \$ M304B0.50X2.500 f 4/17/2014 4/17/2014 25.5000 \$13.41 0.0000 0 \$ M304B0.375 6 4/17/2014 4/17/2014 25.5000									m128882		
Project ID Reference/ Description/ Required Date Description/ Description/ Description/ Stock U/M Required Date Required Date Rever Emp Recy Date Orgy (PO U/M) Cost Per Unit/ Po U/M) Inspected Orgy MRB Rejected Orgy MRB Rejecte									0.375		7
Project ID Reference/ Description/ Stock U/M PO U/M / Equired Date Project ID Required Qty Pro U/M Pro		0	0.0000	\$56.23			24.0000	4R f	304 ROUND BA	No	
Project ID Reference/ Description/ Stock U/N1 PO U/M/ Required Date Cert Std Recy Date Required Date Recy Date Por Unit Cert Std Recy Por Unit Cert Std Inspected Oty MRB Reject Recy MRB Reject Recy MRB Reject Recy MRB Reject Recy Emp (PO U/M) Will Description Will Reject Recy MRB Reject Recy MRB Reject Recy Find Response Recy Value Rejected Oty MRB Reject Oty MRB Rej	\$56.23	0	0.0000	\$2.34	24.0000	4/17/2014	4/17/2014	f	M304R0.375	S	
Project ID Reference/ Description/ Stock U/M1 PO U/M/ Required Date/ Date/ Poer Unit/ Poer Emp Recv Pour Pour Pour Pour Pour Pour Pour Pour									m128882		
Project ID Reference/ Description/ Stock U/M PO U/M/ Project ID Required Date Project ID Required Date Project ID Received Pro		0	0.0000	\$341.86			24.0000	2.50 f	304 BAR .500 x	No	
Project ID Reference/ Description/ Stock U/M PO U/M / Stock U/M Required Date Recv Emp Recv Date/ Oty Pout/ Oty Recv Value (PO U/M) Cost Per Unit/ Pout/ Recvered Oty Recv Value (PO U/M) Inspected Oty Recv All Rejected Oty MRB Reject Recv Fing (PO U/M) MRB Reject Qty MRB Reject Recv Value Rejected Qty MRB Reject Recv Value (PO U/M) Bo MSR Rejected Qty Recv Value Rejected Qty MRB Reject Revv Value Rejected Qty MRB Reject Revv Value Rejected Qty MRB Reject Revv Value Rejected Qty MRB Rejec	\$341.86	0	0.0000	\$13.41	25.5000	4/17/2014	4/17/2014	.500 f	M304B0.500X2	4	
Project ID Reference/ Description/ Cert Std PO U/M/ Stock U/M Required Date Required Qty Recv Emp Recv Date/ (PO U/M) Recv Value (PO U/M) Cost Per Unit/ Recv Value (PO U/M) Inspected Qty Recv Value (PO U/M) MRB Qt/ Rejected Qty MRB Rejected Qty MRB Qty All MRB Qty All MRB Qty MRB Qt									m128882		
Project ID Reference/ Description/ Cert Std PO U/M / Stock U/M Required Date Recv Required Qty Date/ Pour Emp Recv Date (PO U/M) Cost Per Unit Repetted Qty Recv Value Rejected Qty MRB Reject (PO U/M) Impected Qty MRB Reject (PO U/M) MRB Qty/ Pour MRB Reject Qty MRB Rej		0	0.0000	\$271.03			12.0000	(3.00 f	304 BAR .625 X	No	
Project ID Reference/ Description/ Cert Std PO U/M / Stock U/M Required Date Recv Emp Recv Oy Pate/ Pate/ Recv Emp Cost Per Unit/ Oy Inspected Oty Recv Value Rejected Oty MRB Reject MRB Qty/ Recv Value Rejected Oty MRB Reject Both Rejected Oty MRB Reject MRB Qty/ PO U/M) PO U/M) PO U/M) PO U/M) Recv Value Rejected Oty MRB Reject Rejected Oty MRB Reject MRB Qty/ Recv Value Rejected Oty MRB Reject PO U/M) P	\$271.03	0	0.0000	\$21.54	12.5833	4/17/2014	4/17/2014	.000 f	M304B0.625X3	3	1
Project ID Reference/ Description/ Cert Std PO U/M / Stock U/M Required Date Recv Date (PO U/M) Recv Per Unit (PO U/M) Inspected Qty Recv Value (PO U/M) MRB Qty Recv									m128882		
Project ID Reference/ Description/ Cert Std PO U/M / Stock U/M Required Date Recv Emp Recv Emp Cost Per Unit Qty Recv Value (PO U/M) Inspected Qty Recv Value (PO U/M) MRB Qty MRB Reject (PO U/M) Bc VC-MET001 Metaux Castle M303H0.500 — f 4/17/2014 4/17/2014 24.0000 \$3.75 0.0000 0 M303HEX BAR .500 f 24.0000 DESJ02 \$89.88 0.0000 0 M303R0.750 — f 4/17/2014 4/17/2014 96.5000 \$3.37 0.0000 0		0	0.0000	\$325.61		DESJ02	96.0000).750 f	303 Round Bar (No	
Project ID Reference/ Description/ Stock U/M PO U/M / Stock U/M Required Date Recv Date / Cert Std Recv Per Unit/	\$325.61	0	0.0000	\$3.37	96.5000	4/17/2014	4/17/2014	→	M303R0.750	2	•
Project ID Reference/ Description/ Cert Std PO U/M / Stock U/M Required Date Recv Date/ Required Qty Date/ Recv Emp Recv Per Unit/ Qty Recv Value Cost Per Unit/ Rejected Qty MRB Reject Inspected Qty MRB Reject MRB Reject Rejected Qty Pro U/M WRB Reject PO U/M VC-MET001 Metaux Castle Mataux Castle A/17/2014 4/17/2014 24,0000 DESJ02 \$3.75 0.0000 0 303 HEX BAR .500 f 4/17/2014 24,0000 DESJ02 \$89.88 0.0000 0									m128882		
Project ID Reference/ PO U/M / Stock U/M Required Date Recv Description/ Stock U/M Required Qty Date/ Cert Std Recv Emp (PO U/M) Rejected Qty Recv Emp (PO U/M) Rejected Qty MRB Reject (PO U/M) Qty Recv Value Rejected Qty MRB Reject (PO U/M) Qty Stock U/M Reject (PO U/M) Qty Recv Value Rejected Qty MRB Reject (PO U/M) Qty (PO U/M) Qty Recv Value Rejected Qty MRB Reject (PO U/M) Qty (PO U/M) Qt		0	0.0000	\$89.88		DESJ02	24.0000	500 f	→ 303 HEX BAR	No	CAD
Project ID Reference/ PO U/M / Required Date Recv Description/ Stock U/M Required Qty Date/ Qty Recv Value Rejected Qty MRB Reject Cert Std Recv Emp (PO U/M) (PO U/M) Qty VC-MET001 Metaux Castle	\$89.88	0	0.0000	\$3.75	24.0000	4/17/2014	4/17/2014	f	10.500	1	PO23729
Line Project ID Reference/ PO U/M / Required Date Recv Cost Per Unit/ Inspected Qty/ MRB Qty/ Nbr/ Description/ Stock U/M Required Qty Date/ Qty Recv Value Rejected Qty MRB Reject Req								taux Castle		lor Name	VendorID\Ven
Line Project ID Reference/ PO U/M / Required Date Recv Recv Cost Per Unit/ Inspected Qty/ MRB Qty/ Nbr/ Description/ Stock U/M Required Qty Date/ Qty Recv Value Rejected Qty MRB Reject Non Cert Std Recv Emp (PO U/M) (PO U/M) Oty										Req	Carry S. Pro
Line Project ID Reference/ PO U/M / Required Date Recy Recy Cost Per Unit/ Inspected Qty/ MRB Qty/		MRB Reject		Recv Value	(PO U/M)	Date/ Recy Emp	Required Qty	Stock U/M			Order ID/
	Book Amt	MRB Qty/	Inspected Qty/	Cost Per Unit/	Recv	Recv	Required Date	PO U/M /			Purchase



PACKING SLIP/ CERTIFICATE OF CONFORMANCE

A. M. Castle & Co.

Shipment No:2127289

Page 1 of 1

MON	Final Destination Branch -		Shipment Details
2127289-2	MANITOULIN	Prepaid	16-APR-2014 ORIGIN
BOLNo	Carrier	Freight Terms	Date Shipped F.O.B.
			H9R 3S2
CA			POINTE CLAIRE, QUEBEC
K6A 1K7	1K7 CAN	CA	835-SELKIRK AVENUE
HAWKESBURY, ON	HAWKESBURY, ON K6A	HAWKESBURY, ON K6A 1K7	METALS
1270 ABERDEEN	1270 ABERDEEN	1270 ABERDEEN	MONTREAL - CASTLE
DART AEROSPACE LTD	DART AEROSPACE LTD	DART AEROSPACE LTD	A. M. Castle & Co.
Deliver To:	Ship To:	Sold To:	Ship From:

Shipment Details

119600588	Delivery No. 1						Details	23729	Purchase Order No		3309453	Order No
VALBRUNA CORPORATION	Mill	END USE:	END USE	Email P/s	FORWARI	ALL MATE	ALL PAPE				1	Line No
4 2 6 2 8 9	Heat Number	END USE: COMMERCIAL AIRCRAFT PARTS	END USER: DART AEROSPACE	Email P/s and certs to: clavoie@dartaero.com	FORWARD COPY OF P/S TO TRACY (MONTREAL)	ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #S	ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY		Part Number		4901	Item No
12	Mech Id PCS	PARTS		ero.com	(MONTREAL)	YING MARKINGS EX	RDER / CUSTOMER	24.00 FT	Ordered Qty	SPECIFICATION	0.5000.HX.303.S	Description
	Width (IN)	431	141			CHEAT #S	MUST RECEIVE AT			SPECIFICATIONS: ASTM A582	0.5000.HX.303.STAINLESS.CD.ANN.144.0000	
144.0000	Z	3	1900	N	DAS	(TIME OF D	24.0000 FT	Invoice Qty		N.144.0000	
17.6880	Shipped Qty(LBS)					\	ELIVERY		ty			

These commodities fechnologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were lare exported thereunder. Diversion contrary to US Law is Prohibited.

L 1/3/3/2)

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned

Date:

Name:

Reviewed by Authorized Castle Metals Representative:

18	APPROVED
	COMMENT
TX.	rce
	SPECIFICATION
HNM9141	RELIER
T/-L-47	RECEPT DATE
E11858	PO NUMBER
	LOT NUMBER
10617	ITEM CODE
	MECHANICAL ID
(1.88.98ti	HEAT NUMBER
Castle Metats PP	

240 TS C/P/V

EN 10204 (2004), 3.1 CERTIFICAT DE RECEPTION INSPECTION CERTIFICATE **ABNAHMEPRUEFZEUGNIS** СЕВПЕІСАТО ВІ СОГГАЛВО

Certificato nr: MEST453150/2014/

Conferma ordine nr: El13009679 Workelour Ordenffel nr.



Marchio di Fabbica:

nnpe) des Werksschversändigen pecior's stamp/Poinçon de l'assayeur Punzone del Collaudatore:

A 0050E2 S10S S83A MT2A

Avviso di Spedizione: D-VI14001516

Ordine nr. 37162 253113 CASTLE

Tipo di Elaborazione: E+AOD

A NS 5640 U TYPE1 A

3303-11 33 308 A,CF 499 [

State di femilitra: Hot rolled - Annealed Cold Drawn

Produitore: ACCIAIERIE VALBRUNA S.P.A.

Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4 36100 VICENZA (Italia) - Viale deila scienza, 25 z.l.

Valbruna sp.A.

Accialerie

Cilenie / Beeleien?hrebsen/Cilenie / Beeleien?hrebsen/Cilenie / ALBRUNA STAINLESS INC. 2400 TAYLOR STREET WEST. 46801-FORT WAYNE, IN 46801-US

Qualità: T-303 #4901

Specifiche; Anforderungen / Requirements / Extgenose

	превес	dan arman lan la		ARUTINRO3 IO OTA	TEST ALLO ST		
			00-074	120 / 125	0,5000	Hexagon	0100
327507440	2,141		426289		noisnemili	Descrip. du produit	Nr. de poste
בספחה. בסל מני. במל חני.	iriniwa2) IrigiaW abloq	Preces Preces Interpoliti	Collata Schmetze Heat	, paganen, panga pa pa pa pa pa pa pa pa pa pa pa pa pa	ni - inoienamid nagnuasemda nasnamid	offeggo bristaneges notidioseb foutens	Pos. nr. Pos. nr. lien nr.
Lofto nr.	8J - ose9	izze9		Punzonatura: 303 Kennzelchnung/Maddug/Marquage		SHZ881VM JAVIXAM	ABYOA; Suffeenbezeldrung spraffiluenos

	inateversit-T ,egn&Nekenibul			68		115		98	٦	89	12,5	A
253		20		00					Y1	em	сеприненция и предоставления община	SEAN NAME OF THE OWNER,
S22		_	_	_	-,	125	-	-		im	f itaelfloh in	OIBV
140		%	%	%		K,s,i.		La.h	(s		Leng. chick . greats TTEFT	
Hachest Fundi sterno	potrapskopotral euleV zaopra eoroikesP	AH	Integralia notacionis tales	PF 3	broung profia	SZNOJSISOM dwynas obnot motost à sormalant mA	Ofneyvements state of the control of	ofingmisviens exercises exercises exercises exercises &\$2,0 qA	Sign G	∃•	dimotors/BISVOTQ sinewordPrembeds sectamental white man para white man para secretarit man when	TSE
ezzətu()	Eznellise A	900	ixint	4,222	110		erechateil tus gruit	ry condition Pro-				

Analisi chimica

₽6,0	60,03	00,8	64'0	Z9'0	12,31	18,1	₽E'0	850,0	426289
%S	% d	% !N	% nე	% OW	% JO	% uW	% !S	C %	Schmalze/Coulès
0,25 0,40	81,0	00,8 00,01	00,1	00,1	19,00	2'00	00 1	- nim	

Controls visual at dimensions: setialistent Ascus prepetion and dimensions: setialistent and prepetion and dimensions: setialistent Controllo visivo e dimeneionale: soddisfa le esigenze

Controllo antimescolanza: OK Verwechsturgpalinas: specitralaratytech d Antimbang testing pertormed: OK Controle antimelange tall; r.e.s. тупясц ансибании

Dis gostellan Anforderungen sind it. Anlage erfüllt om mehrtuf has been humshed in accondance with the requirements ann allerel & eld trouvé conforme aux exigences. Separate soddistate tutte state condizioni inchiesa

Material is DFARS Compliant

Any act of tampering, modification, alteration, countertaining and/or talaffication and/or any other action which modifies the contents of this test centificate shall constitute a violation of applicable court, authority and jurisdiction.

Of applicable court, and criminal laws. Acclaient Valorung shall protect its rights and interests before any competent court, authority and interests before any competent court, authority and protect are manufactured with fadle techniques to control composition, distributions of non-metallic inclusions for improved machinability. The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 4,s,4,3 by TUEV and LLOYD'S We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant. Melted and manufactured in Italy No welding or weld repair Material free from Mercury contamination

The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/ or in any case different applications than those the materially intended for, any different and/or in any case different applications than those the materially intended for, any different and/or in any case different applications than those the material intended for, any different and/or is any improper use of the requirements shall be appointed at least, upon order of the Products.

Products.

Pagina - 1 di 1

fl collaudatore di stabilimento / der Werkssachverständige/Workgrinspector / L'agent d'usine

Vicenza, 16/01/14



PACKING SLIP/ CERTIFICATE OF CONFORMANCE

A. M. Castle & Co.

Page 1 of 1

Shipment No:2127289

Ship From:	Sold To:	Ship To:	Deliver To:
A. M. Castle & Co.	DART AEROSPACE LTD	DART AEROSPACE LTD	DART AEROSPACE LTD
MONTREAL - CASTLE	1270 ABERDEEN	1270 ABERDEEN	1270 ABERDEEN
METALS	HAWKESBURY, ON K6A 1K7	HAWKESBURY, ON K6A	HAWKESBURY, ON
835-SELKIRK AVENUE	CA	1K7 CAN	K6A 1K7
POINTE CLAIRE, QUEBEC			CA
H9R 3S2			
Date Shipped F.O.B.	Freight Terms	Carrier	BOLNo
16-APR-2014 ORIGIN		MANITOULIN	2127289-2

Shipment Details

Final Destination Branch - MON

	Delivery No.						Details	23729	Purchase Order No		3309453	Order No
VALBRUNA CORPORATION	Mill	END USE: 0	END USER:	Email P/s ar	FORWARD	ALL MATER	ALL PAPER				2	Line No
424314	Heat Number	END USE: COMMERCIAL AIRCRAFT PARTS	END USER: DART AEROSPACE	Email P/s and certs to: clavoie@dartaero.com	FORWARD COPY OF P/S TO TRACY (MONTREAL)	ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S	ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY		Part Number		4632	Item No
ω	Mech Id PCS	PARTS		ero.com	(MONTREAL)	YING MARKINGS E	RDER / CUSTOMER	96.00 FT	Ordered Qty	SPECIFICATI	0.7500.RD.303	Description
	Width (IN)					EX:HEAT #S	MUST RECEIVE /			SPECIFICATIONS: ASTM A582	0.7500.RD.303.STAINLESS.CF.ANN.132.0000-156.0000	
144.7500	Length (IN)						TIME OF D	96.5000 FT	Invoice Qty		IN.432.0000-1	
144.7500	Shipped Qty(LBS)	77/12		9-80	27.00		ELIVERY	T	ty		56.0000	

These commodities/fechnologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

Date:

Name:

vas ennadieV Acciaierie

EN 10504 (5005) 3:1 CERTIFICAT DE RECEPTION INSPECTION CERTIFICATE **ABNAHMEPRUEFZEUGNIS** CERTIFICATO DI COLLAUDO



Tipo di Elaborazione: E+AOD ErachmelzungsarVMelting process/Mode dela

Ordine nr: 101003060 Stock - Canada

Avviso di Spedizione: D-VII i 002624. Leleranzeige/Packing favB.L.



Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4 36100 VICENZA (Italia) - Viale della scienza, 25

Cijenle / BestelentruchsertClent VALBRUNA CANADA LTD 8724 HOLGATE CRESCENT LGT 521-MILTON, ONT LGT 521-CA

Produttore: ACCIAIERIE VALBRUNA S.F.

Oggetto Prove: - Annealed Cold Drawn Protegeogenstanditem Inspected/Finissage

Certificato nr: MEST005153/2011/

Conferms ordine nr: E11 1000505 Werkes/Our Orden/Ref nr.

139YT U 0488 SMA

ASTM A320 2010 88F MIL-S-862 B/1 303

ASTM A582 2005 530300 QQ-5-764 B/2 303 ASME SA320 2007 B8F (0)

87

30

Punzonatura: 303

Dureza Hanne Purdoec Pures HB	SSR9ili297 feorageloache sideV toaqni soneliseR		Snoixini2 generates 3 are to recoded nearlies AR	OfnemsgnufiA oundedung oundedung nemegoda bb E	SZN9Iziz9A Jeryczenyuz Jeryczenyuz Marent in ecuatrice MA	Ofnemevnen2 strangberg state blev euptrale armid	01
	obseed	я ваі соте еп	inatem la ardoe edai	ARUTINRO I IO OT		TES rung auf lleferber	אנים
130700770	10.935		424314	941/941	60-48	Þ	
רסן עני רספטני רספטני רספטני	Peso - LB Gewicht Weight Polds	ISSPQ idesubits sessiq sessiq	Colata Schmeize Hear Coulée	ni - assangnul Lange Lengueur	eranza olleranz clerance olerance	T	
			-8-	and the Superior Superior Street			

89

uiui

September of Louisians T. September of Language . U. September of Language . U. Language . J. Langua

Bound

Offeggo bnataneged JAVIXAM SHZ88TVM .salca:

(0) SEC.II PT.A 2007 EDITION ADD. 2009b

ATM A314 2008 S30300 DOD-F-24669 6 S30300

VAL CANADA 2 303 A,CF

TS3T

0050

Cualità: 303

241

07

0094'0

Analisi chimica

103

GL.

32

										1011	74.0	C+O'O	424314
		900'0	6,34	60,0	980,0	8,42	7 6,0	99'0	17,24	78,t	0,45	940,0	NICYCH
		% JZ	% S	% а	% 00	% !N	% no	% OW	% JO	% uW	% IS	%0	
				70 G	70 -0	00,01	1,00	09'0	00,61	5'00	1,00	021,0 xsm	Schmelze/Coulée
1		0,400	01,0	510	-	00,8			17,00	^		- nim	Colafa Mest

Produced without class I-II Ozone depleting substances.

Solution heat treated free from continuous carbide network.

Annealing temperature: 1940°F for 0.5 h/water.

15,5

Fitagidali ItalsV eder berioperingon petrok

Micro and macro etch test: OK

Material is DFARS Compliant

Controllo visivo e dimensionale: soddista le esigenze

13

Verwechslungprühing: specivalari-Antimising testing performed: OK Contrôle antimetange falt: 1.8.8. Controllo antimescolanza: OK Sono state soddisfatte tutte le condizioni richieste pe geatele notodiscon son si de condisioni richieste per desagne nucleonopon sind it. Antego etitig. In the requirements de confirme aux origeness. Le material à sub rouvé conforme aux origeness

Maxival and/or Valpius grades/products are manufactured with ladle techniques to control composition, distribution, size and shape of non-metallic inclusions for improved Any act of tempering, modification, alteration, counterfelting and/or falsilication and or any other action which modifies the contents of this fest certificate shall constitute a violation of applicable civil and criminal laws. Accisience Valbruna shall protect its rights and interests before any competent court, authority and jurisdiction. The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1,a,4,3 by TUEV and LLOYD'S We deciste that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant. Melted and manufactured in Italy No welding or weld repair Material free from Mercury contamination

The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/or in any case different applications than those the material is generally intended tor, any different and/or supplementary product be used for more severe, critical and/or supplementary and/or supplementary and the product by the Product by the Prochaser. Accisierie Valbruna SpA shall not be responsible for any improper use of the requirements shall not be responsible for any improper use of the

Sib f - snigs9

M. Rizzotly Julu Il collaudatore di stabilimento I der Werkssachverständige/ Works inspector / L'agent d'usine

Vicenza,26/01/11

(Mod. MCER)

EN 10504 (5005) '3'1 CERTIFICAT DE RECEPTION INSPECTION CERTIFICATE **ARMAHMEPRIJEFZELJGNIS.** CERTIFICATO DI COLLAUDO



Valbruna sp.A. **airaisiss**A

Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4 36100 VICENZA (IIalia) - Viale della scienza, 25 z.i.

Cliente / Besteier/Puchaser/Clent VALBRUNA CANADA LTD 8724 HOLGATE CRESCENT LST 5Z1-MILTON, ONT LST 5Z1-CA

Produttore: ACCIAIERIE VALBRUNA S.P.A.

Oggetto Prove: - Annealed Cold Drawn Prütgegenatenditem Inspected/Finissade

ASOSON I IV-O :encisionation of Special Specia

Ordine nr: 101003060 Stock - Canada

Tipo di Elaborazione: E+AOD

Punzone del Collaudatore: Asichen des Liefenmerkes Trade mark Sigle de 1 using produbitos

Conferma ordine nr: EI11000505 WerkszOur Onder/Ref nr.

Certificato nr: MEST005153/2011/

Marchio di Fabbrica:

Stempel des Wetkasachverständigen Inspector a stampiPoincon de l' assayeu

Products.

Sib S - snigs9

Il collaudaiore di stabilimento / der Werksaachverständige/ Works inspector / L' agent d' usine MALL phossifi. M

(MOO. MCER) Vicenza,26/01/11

Castle Metals (Total of Lems)

HEAT NUMBER:

MECHANICAL ID:

MECHANICAL ID:

MECHANICAL ID:

MECHANICAL ID:

MECHANICAL ID:

MACHANICAL ID:

COMMENT:

- :ОЗХОЯВВ



A. M. Castle & Co.

PACKING SLIP/ CERTIFICATE OF CONFORMANCE

Shipment No:2127289

Page 1 of 1

835-SELKIRK AVENUE METALS **MONTREAL - CASTLE** Ship From: POINTE CLAIRE, QUEBEC A. M. Castle & Co. H9R 3S2 Date Shipped 16-APR-2014 F.O.B. ORIGIN Sold To: 1270 ABERDEEN DART AEROSPACE LTD HAWKESBURY, ON K6A 1K7 Prepaid Freight Terms Ship To: HAWKESBURY, ON K6A DART AEROSPACE LTD 1K7 CAN 1270 ABERDEEN MANITOULIN Carrier HAWKESBURY, ON DART AEROSPACE LTD Deliver To: K6A 1K7 1270 ABERDEEN 2127289-2 **BOL No**

Shipment Details

Final Destination Branch - MON

							0	Ŋ	D		ω	0
119600836	Delivery No.						Details	23729	Purchase Order No		3309453	Order No
VALBRUNA CORPORATION	Mill	END USE: C	END USER:	Email P/s an	FORWARD (ALL MATERI	ALL PAPER				3	Line No
2000 mm	Heat Number	END USE: COMMERCIAL AIRCRAFT PARTS	END USER: DART AEROSPACE	Email P/s and certs to: clavoie@dartaero.com	FORWARD COPY OF P/S TO TRACY (MONTREAL)	ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT	ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY		Part Number		5054	Item No
	Mech Id	「PARTS		ero.com	(MONTRE/	FYING MARK	ORDER / CUS	1.00 PGS	Ordered Qty	SPEC	0.6250	Description
_	PCS				<u>F</u>)	(INGS EX:HE	STOMER MUS	SS	d Qty	SPECIFICATIONS: AS:	.3.0000.FLAT.	ption
1.0000	Width (IN)					AT #S	T RECEIVE A			ASTM A276	304.STAINLE	
151.0000	Length (IN)					/	IT TIME OF DE	12.5833 FT	Invoice Qty	1	SS.HR.ANN.P	
81,0000	Shipped Qty(LBS)					1	ELIVERY "Y"	1 /4/7	ty	DAG	0.6250.3.0000.FLAT.304.STAINLESS.HR.ANN.PICKLE.132.0000-156	

5

41/13/hg/

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

for credit.

Reviewed by Authorized Castle Metals Representative: We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned Date: Name:

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited. Date Printed: 16-APR-2014 10:19:04 AM

EN 10204 (2004) , 3.1 СЕВТІРІСАТ DE RECEPTION INSPECTION CERTIFICATE **ABNAHMEPRUEFZEUGNIS** CERTIFICATO DI COLLAUDO

Certificate nt: MEST309082/2013/

Punzone del Collaudatore:

Conferma ordine nr: E112009882 Weda/Our Order/Ret nr.

sahewmehti seb narbiez ham ebsrii aofduborq eniau 1 ab algiz

Marchio di Fabbrica;

MR





Valbruna sp.A. Accialerie

Stab.: 39100 BOLZANO (Italia) - Via A. Volla, 4 36100 VICENZA (Italia) - Viale della scienza, 25 z.l.

Cilentie / Besselv-Inchesokoliens ANLBRUNA STAINLESS INC. 24C0 TYLOR STREET WEST 24C0 TYLOR STREET WEST

Produttore: ACCIAIERIE VALBRUNA S.P.A.

Delior for bisant beisares Descaled haracon betate being to the property of th

P346: In anicondinated

Controllo anilmascolanza: OK Verwedskupgiviung: seestaanlyiseh duxhgolitint Ashimbig pading pedomed: OK Controls anilmalenge falt: na.e.

Material free from Mercury contamination

STOCK CAROL STR

The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified branch standards. Should the product conforms to requirements and/or linging case different and/or linging the product be used for more severe, critical large and or linging case different applications those the material is generally intended for, any different and/or long the product by the Purchaser, Acclainte SpA shall not be responsible for any improper use of the Products.

Products. Any act of tempering, modification, attended to counterfeiting and/or felsification and/or any other action which modifies the contents of this feet certification.

Any act of tempering, modification, attended and protect its rights and interests before any competent court, authority and jurisdiction. The Quality Management System is Certified acc. Pressure Equipment Directive (97/23/EC) Annex 1,8.,4.3 by TUEV and LLOYD's We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant. Visit ni benutostunem bas betteM No welding or weld repair

Izzıngeat/Meiting proce

Tipo di Elaborazione: E+AOD

Avviso di Spedizione: D-VI13005280 demoralga/Pading lia/B.L.

APPROVED COMMENI SOT MOTANIES SPECIFICATION del Telding BECENT DATE PONUMBER Buildran LOT DCCCO METR MECHANIC'ST ID 100) Stelemolises HEAT NUMBER

Pagina - 2 di 2

eniau 'b' ragen'i '' Valoegan'i Volfoeräänveräändige/ Worke inspector 'L' agent d' usine il colleudatore di stabilimento / der Werkeachveräändige/ Worke inspector 'L' agent d' usine

Vicenza, 19/02/13

(Mod. MOE2)

EN 10204 (2004) '3:1 CERTIFICAT DE RECEPTION INSPECTION CERTIFICATE **АВИАНМЕРЯ** ИЕР**Z**ЕИGИІS CERTIFICATO DI COLLAUDO

Certificate nr: MEST309082/2013/

ASTM A214 2008 S30400/03 (6) ASTM A473 2001 S30400/03 (6) ACCE MR0103 2010 S30400/03 A

ASME SA182 2010 530400/03 A (0) ASME SA320 2010 B8 CLASS1 (3) P324 D 83 A LLDC 2014 MT2A

Conferms ordine nr: El12009882 Wedat/Order/Ref nr.

ASTM A193 2011 A B8 CLASS1

A 004058 H 6583 SMA

Signed enterine production

Punzone del Collaudatore:



QQ-S-763 F 304/304L A

ASTM A370 2012 . MIL-9-862 B/1 304/304L

41SI 304/304L

(5) A 50\004058 A110S S81A MT8A A 50\004058 010S 37SA MT8A

YSME SA276 2010 S30400/03 A (2)

1884€ mm anibnO

Tipo di Elaborazione: E+AOD

O8S3006 FIV-O :enrolabeq2 ib oslvvA

AMS-QQ-S-763 B 304/304L A

Valbruna sp.A. Accialerie

Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4 36100 VICENZA (Italia) - Viale della solenza, 26 z.i.

Cliente / Besselent-unhantenchient VALBRUNA STAINLESS INC. 2400 TAYLOR STREET WEST 46801-FORT WAYNE, IN 46801-US

Produttore: ACCIAIERIE VALBRUNA S.P.A.

bellot to H belseand belseas to the obtained horizon to obtain the distribution to the property of the propert

Specifiche: Antorderungen / Require

ASTM A320 2011 BB CLASS1 ASTM A479 2011 S30400/03 A ASME SA479 2010 S30400/03 A (4) ASME SA193 2010 BB CLASS1 (1) A 604062 L 7488 SMA A 304/304L A

8 tros. GDA MONTOS A.T.Y (1) SEC. II TAS 8.010 EDITION ADD. 8.010 EDITION ADD. 8.010 EDITION ADD. 8.010 SEC. II TAS 8.010 EDITION ADD. 8.010 SEC. II TAS 8.010 EDITION ADD. 8.010 SEC. II TAS 8.010 EDITION ADD. 8.010 SEC. 10.010 SEC. 10 NACE MR0175 2009 530400/03 A (7)

Qualità: 304/304L

11-484A MTSA : BX/1518||OT

III - Iriolationid negaraganda noganemid noisnemid

Warce: JSIA

0410 1617 3,0000 x 0,6250 net desori no du pix Mr. de poste Oggotto Segenerand

ZTD] 89F odest begin strolled	Strizione Electronia Rectados e electro	ofnemsgnullA	SXN912l2eA	ofnemeviers exemptions	ofriemsvieng	SJao4 oiggas		4
	o las Ishetam le endos adeu	rd enuitmud eb tatel a tea	Muborg mett	stadiolog fue gnuis	ny condition Pro	evileb no	faoT .	
obsperime amo	O les Inhotem is ander a dec	ARUTINROR ID OT.	ATS OJJA T	S3T				_

					1	xsm nim						TSHT
				79		16		Ĺτ	٦	89	12,5	A
182		69				115	_	30		im sm	i itaelrichi i seinredunes seibrumb m	1018V ninebnolnA notsV
140	-	0 <u>9</u> %	%	07 %		K.s.J.		Real.	()		Medit Dism, find droses Legs, diem, essis FIFIT	
DLEGZER Hearts cherks church BH	Feellienze Kerbenhaperbek Impest Vebe Feellienze	DURLICE	PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR	Bunsiq	BRIUIIA eprola spreia	SZRSISISH Malghertas Malghertas Minaba Minabas Minabas Minabas Minabas Minabas Minabas Minabas Minaba	OffiemBV1902 **Standard Stoff **Standard Stoff	Streckgrenze Yald Stree Umite planteur	SJ804 oiggn8 netrocit netrocit	ವಂ	dethedors\SITeVOTG etherwoodstreembergs Assed mala grad edd multi etherg	TOTT

ES1/171

uj - ezzey6un

Punzonatura: 304/304L

STOCK CAROL STR

260183

(0) For products machined direatly from bar refer to ASME SA479. (2) SEC,II PT.A 2010 EDITION ADD. 2011a. (4) SEC.II P.T.A 2010 EDITION ADD. 2011a. (6) Chemical analysts only. (7) Chamical analysts only. (7) Technical circular 1:2011 Published 2011-06-14.

Grain size for ASTM E112 A 9

Mechanical properties according to ASTM A370.

Analisi chimica

_			 	nonin	0,025	160,0	861,0	£1,8	69'0	99'0	18'65	1,60	66,0	0,022	S8109S
				680,0 % V	% S	% d	% 00	% !N	%no	% OW	Cr %	% uW	% !S	C % wex g'030	Schmeize/Coulée
-	-	-	-	001,0	0,020	0+0,0	-	8,00 10,50	1,00	00,1	18,00	2,00	00 }	- ulm	Colata Mest

Solution heat treated free from continuous carbide network. Produced without class I-II Ozone depleting substances.

Micro and macro etch test: OK Annealing temperature: 1940°F for 0.5 h/water.

Intergranular corrosion test per ASAM AS62 pract. E: ok.

Material is DFARS Compliant

S ib 1 - aniga9

i)L=longhudinatekängs, Tetrasversalekquer, O⊷TengenzlaleNe

2.463

230003Z00

Il colleudatora di atabilimento / dar Warkssachvaratändige/ Works inspector / L'agent d'usine

Vicenza, 19/02/13

Wed MCES!



PACKING SLIP/ CERTIFICATE OF CONFORMANCE

Page 1 of 1

Shipment No:2127289

A. M. Castle & Co.

2127289-2	MANITOULIN	Prepaid	ORIGIN	16-APR-2014
BOLNo	Carrier	Freight Terms		Date Shipped
				H9R 3S2
CA			POINTE CLAIRE, QUEBEC	POINTE CLAI
K6A 1K7	1K7 CAN	CA	AVENUE	835-SELKIRK AVENUE
HAWKESBURY, ON	HAWKESBURY, ON K6A	HAWKESBURY, ON K6A 1K7		METALS
1270 ABERDEEN	1270 ABERDEEN	1270 ABERDEEN	CASTLE	MONTREAL - CASTLE
DART AEROSPACE LTD	DART AEROSPACE LTD	DART AEROSPACE LTD	Co.	A. M. Castle & Co.
Deliver To:	Ship To:	Sold To:		Ship From:

Shipment Details

Final Destination Branch - MON

			6									
119600836	Delivery No.						Details	23729	Purchase Order No		3309453	Order No
CORI	Mill								r No			
VALBRUNA CORPORATION		END USE:	END USER	Email P/s a	FORWARI	ALL MATE	ALL PAPE		Pa		4	Line No
262783	Heat Number	END USE: COMMERCIAL AIRCRAFT PARTS	END USER: DART AEROSPACE	Email P/s and certs to: clavoie@dartaero.com	FORWARD COPY OF P/S TO TRACY (MONTREAL)	ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S	RWORK MUST		Part Number		5036	Item No
		L AIRCRAFT F	SPACE	avoie@dartaer	S TO TRACY (AVE IDENTIFY	FOLLOW OR		CC) hili	27	340	
	Mech Id	ARTS		o.com	MONTRE	ING MAR	DER / CU	2.00 PCS	Order	.0000 SPIN	0.5000	Description
2	PCS				AL)	KINGS EX:H	STOMER MU	CS	Ordered Oty	CIFICATION).2.5000.FLA	ption
	Width (IN)					EAT #S	ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY			SPECIFICATIONS: ASTM A276	T.304.STAINLE	
153.0000	Length (IN)						AT TIME OF DI	25.5000 FT	Invoice Qty		SS.HR.ANN.P	
110.0000	Shipped Qty(LBS)					\	ELIVERY	T	ty		0.5000.2.5000.FLAT.304.STAINLESS.HR.ANN.PICKLE.132.0000-156	
					_							

L1/18/1/2/

These commodifies fechnologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

for credit.

Reviewed by Authorized Castle Metals Representative: We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned Date: Name:

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited. Date Printed: 16-APR-2014 10:19:04 AM

EN 10204 (2004), 3.1 CERTIFICAT DE RECEPTION INSPECTION CERTIFICATE **ABNAHMEPRUEFZEUGNIS** CERTIFICATO DI COLLAUDO





Valbruna sp.A. Accialerie

CENTINED BY LLOYO' & REGISTER

Certificato nr: MEST435867/2013/

Conferma andine nr: El13005543 Wehaborrodesher nr.

Marchio di Fabbattoss Xechammelel seb nechies Trede mark schroborg entre f so eigis

Punzone del Collaudatore: Rempet des Werteseniverrandiper Inspecier s aumprilongen de Lauss

9912E051IV-G :enclizibed Sib oalvvA

STOCK CAROL STR 4248E :nr enlbrO

GOA+3 :analxanable b obstance a si Encice b ebothessore guillet Meseuralement et si

Controllo antimescolarza: UN. Verwednikongwikong: specielarian kalici dulci Verwednika jassing pelominasi CK Antimalenga pali 1.1.2.2.

edaesirich inoisibraco ai attrui extrataibboa esate ono@ itine epainA at ant negrunaboth, nabereo aci sinemesirpen art ribe vontaboora in brattari sees at faiream enf seonegbe sus emelvos druot tie dieletem el

bellor for helisenny belsecated Described Annieura: bottes belleving teamers de transcente de transc

Produttore: ACCIAIERIE VALBRUNA S.P.A.

36100 VICENZA (Italia) - Viale della scienza, 25 z.f. Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cliente / Barelintrycheurchen VALBRUNA STAINLESS INC. 2400 TAYLOR STREET WEST 46801-FORT WAYNE, IN 46801-US

Any act of tempering, modification, counted acts, reasons equations leaves processed and other is any tope and extraction operation consitute and interest points and interest points and interest before any competent count, authority and jurisdiction.

Any act of tempering, modification, alteration, counterfielding and/or falsification and/or any other extractions and standards and standards. Should the or applicable civil and ordinars and standards and standards and standards. Should the product conforms to requirements specified to requirements and standards. Should the product conforms to requirements expecified and or in any case different and to the Product be used for, any different and/or supplementary product be used for more severe, critical and to it any case different applications the Product be used for, any different and/or supplementary requirements shall not be responsible for any improper use of the Products. Products The Quality Management System is Certilled e.c., Pressure Equipment Directive (97/83/Ed (97/83/84) by TUEV and LLOYD'S We declare that the finished product is checked for realloacitys contamination through Portal System when it teaves the production plant. No welding or weld repair notranimatrico y ucraM mort aent laiteteM

COMMENT or SPECIFICATION NnV8 ชลกเลยกร 7/ PECEPT DATE PO NUMBER LOT NUMBER ITEM CODE MECHANICAL ID HEAT NUMBER Castle Metals FP

APPROVED

S b S - aniga9

Il collaudatore di stabilimento / der Werkesachverstandige? Worke, inspecior / L'agent d'usine

Vicenza,29/11/13

EN 10204 (2004) '3'1 CERTIFICAT DE RECEPTION INSPECTION CERTIFICATE **VBNAHMEPRUEFZEUGNIS** CERTIFICATO DI COLLAUDO

60/004052 8003 415A MT2A (8) 50/004052 1003 574A MT2A A 50/004052 0103 5010AM 30AN

ASME SA182 2010 530400/03 A (0)

Conferma ordine nr: E113006543

Certificato nr: MEST435867/2013/

ASTA A193 2011A B6 CLASS1

Punzone dei Collaudabre: Siempel des Weitesschwissensgen Siempelei de Weitespring de l'esserge

A 004052 H 8583 8MA

Membrand of Febbrands and membrands and mark sharp substitutions south the sign of the state of





Accialerie

36100 VICENZA (italia) - Viale della scienza, 25 z.l. A.q.s BRUTALEV

2400 TAYLOR STREET WEST 46801-US Cilente / Beseintentantinent ESS INC. Stab.: 39100 A alV - (Italia) ONAXJOB 00198: .dat2

Produttone: ACCIAIERIE VALBRUNA S.P.A.

bellor fol-I belaering belacalo Descript : Fiuli trot lb otsts

notice the second policy of t

Tipo di Elaborazione: E+AOD

69 racoc riv-G :enaisbage is oelvvA

Potaline nr: 36454

QQ-S-763 F 304/304L A ASTM A370 2012A . MIL-S-862 B/1 304/304L (8) A 60/004068 GS10S S81A MT2A A 60/004068 610S 97SA MT2A VSWE SYST6 2010 530400/03 A (2) A JA06/406 8 687-2-00-2MA 7+05/40E ISIA

(0) For products machined directly from bar refer to ASME SA478. (2) SEC.II P.T.A. 2010 EDITION ADD. 2011a. (4) SEC.II P.T.A. 2010 EDITION ADD. 2011a. (5) Chemical analysis only. (6) Chemical analysis only. (7) Toolnical choules 1:0011 Published SO11-06-14

STOCK CAROL STR

(0) SEC.II PT.A 2010 EDITION ADD. 20118 (1) SEC.II PT.A 2010 EDITION ADD. 20118 (3) SEC.II PT.A 2010 EDITION ADD. 20118 (5) For products machined directly from berring and Advis. (6) For products machines directly from Second edition 2009-10-16 (Y) A 60/004068 83040 3710 M HOAR A 80/0040E2 S103 GTA MTEA A 80/0040E2 S103 GTA MTEA A TO S103 GTA MTEA

J £ 0.2 JA06/406: MilleuD

ASME SA193 2010 B9 CLASS1 (1)

A 504058 L 7482 SMA

Specifiche: Americanisment Requirements (Edg

ezzelR()	SETTE HEAD F		enulzitie	ofnemsgnullA	Extretal and Officers and Bruthoff nothbrido viewhab no tee!		
Becoming	obagein	ne emoo las L	shotam to endos ad	ARUTINEOT IQ OTA	Dilbon motivandoles :		P.0.
					2,5000 × 0,5000	Flat	0110
318806470	4.340		262783	991/771	Dimension	Product description Descrip, du produit	"In mag
לבון מו, לבון מו.	trigleW abloq	\$8085d	Bohmelze Henst Coulés	ອອດກາງ ກາສຸດສາຊ ທຸກອຸນອາງ	ni-indisment()	Displand	Pos. nr.
30603 30603	P820 - LB	(XX99 (dex)olg	Colsta	ni - exzertgruu			general descriptions of the description of the desc
				Purzonatura: 304/304[2 3 18AT 11-484A MT2A :sxnsrelloT	AISL	Marca:
				100,000	3 3 (GAT LL A014 (GR	nieu racht	AND LONG BY CHARLES AND LONG BY

, p				9						1121	III.O V		TEST
						XBM	nim						
							00		/6	٦	89	12,5	A
981		02		1.6			06			Ж	ew	alithry be signaffynegr acalonymide gnu	ut indirectors. eds://
532				a.			27 311	-	30	u	im	r ideniasti i	IOI8V
140	-	09		07			1,834		Kerr.	{(,		Leag. of en. spines	
Burney Pursing Charles	Bedrangel Assethali ential Foregrafi estrations/	j Bunit	Marriella Marrie	% Pt 3 page suspend su	Martourial.	- 1	SITETE 20A Pergenera Parana dana T Parana	Offiemsviens complems wors buy melinie sinti	Offishisviend examplement conto bear explants winds	Sing-Single Single Sing	40	dissentary\STBVOTQ essentaryshearloogs assentaryshearloogs transports assentaryshearloogs assentaryshearlo	TEST
ezzeing	BanelliaeA		ZHS					orochalas tua gruð	y condition Prûs	evilab no	1661		

1)Lelongibudinaleitängs, Telmsv

solmino IsllanA

	to love to	90'8 57'0	18,12 0,52	69,1 86,0	0,023	262783
0,000 0,000	% d % 90 '		Cr. % Mo %	00,s 00,1	© % ○ Wex 0,039	Colete Atest
	CHOUSES MISTARIONISM OF THE STANK	OnusioanensnasuS ericalmen	io .			

Solution heat treated free from continuous carbide network. Produced without class I-II Ozone depleting substances.

intergranular corrosion test per ASTA MZ62 pract, E: ok. Micro and macro etch test; OK Annealing temperature: 1940 °F for 1 h/water.

Mechanical properties according to AST0.

Grain size for ASTM E112

A

Absence of cracks at 20 x magnification after bend test.

Material is DFARS Compliant

eniau'o inega 1 / 10toeqeni arkoV Negibinarashrerashavy Vetra agenti Vinanii alabano il

M. Hizzohly JUNAR

Vicenza,29/11/13

Sibd - aniga9



PACKING SLIP/ CERTIFICATE OF CONFORMANCE

Shipment No:2127289

Page 1 of 1

A. M. Castle & Co. MONTREAL - CASTLE 835-SELKIRK AVENUE METALS Ship From: POINTE CLAIRE, QUEBEC 16-APR-2014 H9R 3S2 Date Shipped F.O.B. ORIGIN Sold To: HAWKESBURY, ON K6A 1K7 1270 ABERDEEN DART AEROSPACE LTD Prepaid Freight Terms HAWKESBURY, ON K6A DART AEROSPACE LTD Ship To: 1K7 CAN 1270 ABERDEEN MANITOULIN Carrier HAWKESBURY, ON DART AEROSPACE LTD Deliver To: K6A 1K7 1270 ABERDEEN 2127289-2 BOL No

		/	//			r							
119600588	Delivery No.						Details	23729 /	Purchase Order No	3309453	Order No		Shipment Details
AMERICAN STAINLESS	Mill	END US	END US	Email P/	FORWA	ALL MA	ALL PAF			Ø	Line No		ils
K 8 H 7	Heat Number	END USE: COMMERCIAL AIRCRAFT PARTS	END USER: DART AEROSPACE	Email P/s and certs to: clavoie@dartaero.com	FORWARD COPY OF P/S TO TRACY (MONTREAL)	ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT	ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST R		Part Number	15043	Item No		
		- AIRCRAFT PA	SPACE	avoie@dartaero.	TO TRACY (M	VE IDENTIFYIN	FOLLOW ORD						
	Mech Id I	RTS		com	ONTREAL	IG MARKI	ER / CUST	2.00 PCS	Ordered Qty	0.3750.F SPECI	Description		Final De
N	PCS					NGS EX:HE/	FOMER MUS	8	Qty	0.3750.RD.304/304L.STAINLESS SPECIFICATIONS: ASTM A276	tion		Final Destination Branc
	Width (IN)					AT #'S	T RECEIVE A			STAINLESS.(ASTM A276		V	anch - MON
144.0000	Length (IN)						ECEIVE AT TIME OF DELIVERY	24:0000 FT	Invoice Oty	0.3750.RD.304/304L.STAINLESS.CF.ANN.132.0000-156.0000 SPECIFICATIONS: ASTM A276			
9.0240	Shipped Qty(LBS)	i e			A Acres	200	ELIVERY	T	ty	000-156.0000			
	3,												

61/3/1/2

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned Reviewed by Authorized Castle Metals Representative:

Date:

Name:



METALLURGICAL TEST REPORT

6870 Highway 42 East Ghent, KY 41045-9615 (502) 347-6000

		が対抗となれる。		
Corresion: ASTM A262-10 Frac A/E OK	Corrosiona	Item Code: 15043	Your Order: 249989 Item	Your
144.00 in	Length:		MAS Order: LP 10389 1	MAS C
	Leg Length:		Customer: 0032 001	Cust
Finish: Cold Draw Dia/Thk: .3750 in	Finish: Dia/Thk:	20 3400 NORTH NOLF ROAD FRANKLIN PARK IL 60131		
304/304L	Steel:			0
1/21/2014 Page: 1 Of 1	Date	Ship To:	Pertificate: 910944 06 Mail To:	70144
			But the Beat of the But the Bu	1

PRODUCT DESCRIPTION:
ASTY A193/10a-ASME SA193/10 CL 1 GR 58
GRAIN SIZE: 4-6
Round Bar, Annesisd, Cold Draw
UNS 30400/30403 EN 10204 3-1, ASTM A484/13a
ASTH A276/10, ASTM A479/13a, ASTM A182/13 CHEM CMLY,

AMS 5639H, AMS 5547J, AMS QQS-763B, QQS-763F, ASTM F899/11 SOLUTION ANNEAL TEMP 1900P MIN; ASTM A320/08 CL 1 GR B8

ASME SA479/10s, ASME SA182/10 CHEM CHLY

COMPLIES W/REQUIREMENTS OF DFAR 252,225-7008 EU DIRECTIVE 2011/65/EU.ROHS. EAF+AOD+CC. WO NELD REPAIR. MELTED AND NFG IN USA FREE FROM MERCURY AND LOW MELTING ALLOY CONTAMINATION

BG03017 2092 Burdle Weight Bundle Weight Bundle Weight Bundile Weight Bundle Weight Bundle Weight Burxile Weight Bundle Weight Bundle Weight

CHEMICAL	ANALYSIS		CM(Country of Meit)	ES(Spain)	ES(Spain) US(United States) ZA(South Africa) JP(Japan)	ZA(South Africa)	JP(Jupan)	Chem	ical	Analys	Chemical Analysis per ASTM A751/08
Heat Supplier #	COX.	2	% OD	CQ: A	ca *	NIN %	% OW	N %		% IN	MI% P%
	r P	.016	.14	18.07	.46	1.35	.34	.077		8.52	8.52 .031
	12.00						\	0	₩	TWO IS TO	N
		% IS						1 1	7	3	3
	SIGION	.29					HEAT NUMBER	2	Ī		
MECHANTON.		D ID D ID	20				16.00 WAL	5	202	020	020
	į						CO. NO.	1		, C	and the second s
4 O E	服 粉.	ESI UIS	KSI RA	i#	E119 % 2"		PO NUMBER		五名	486bh 3	-686b
BG03017 R L	190.0	90-65	109.45	69.71	42.10		SUPPLIER.		R	R L	Ether M
							SPECIFICATION	<u>7</u> 2		And the second s	The second secon
							COMMENT	0			
							APPINVED 1	1	1		

NAS hereby certifies that the analysis on this certification is correct. Based upon the results and the accuracy of the test methods used, the material meets the specifications stated. These results relate only to the items tested and this report cannot be reproduced, except in its entirety, without the written approval of NAS

Technical Dept.Mgr.

ERIC HESS



PACKING SLIP/ CERTIFICATE OF CONFORMANCE

A. M. Castle & Co.

Shipment No:2127289 Page 1 of 1

Ship From:	Sold To:	Ship To:	Deliver To:
A. M. Castle & Co.	DART AEROSPACE LTD	DART AEROSPACE LTD	DART AEROSPACE LTD
MONTREAL - CASTLE	1270 ABERDEEN	1270 ABERDEEN	1270 ABERDEEN
METALS	HAWKESBURY, ON K6A 1K7	HAWKESBURY, ON K6A	HAWKESBURY, ON
835-SELKIRK AVENUE	CA	1K7 CAN	K6A 1K7
POINTE CLAIRE, QUEBEC)EC		CA
H9R 3S2			
Date Shipped F.	F.O.B. Freight Terms	Carrier	BOL No
	ORIGIN Prepaid	MANITOULIN	2127289-2

4	-/	131h)	1	/	/		C.	\	\	\						
		119601455	Delivery No.						Details /	23729 /	Purchase Order No		3309453	Order No		Shipment Details
		VALBRUNA CORPORATION	Mill	END USE: C	END USER:	Email P/s an	FORWARD	ALL MATER	ALL PAPER				6	Line No		ls
		2 5 1 7 4 1	Heat Number	END USE: COMMERCIAL AIRCRAFT PARTS	END USER: DART AEROSPACE	Email P/s and certs to: clavoie@dartaero.com	FORWARD COPY OF P/S TO TRACY (MONTREAL)	ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S	ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER		Part Number	11100	14840 MMh	Item No 3-89	27	13.65
			Mech Id	PARTS		ero.com	(MONTRE	YING MARI	RDER / CU	1.00 PCS	Order	SPE	1.7500	Description		Final
		1	PCS				AL)	KINGS EX:HE		7-	Ordered Qty	SPECIFICATIONS: ASTM A276	1.7500.RD.304/304L.STAINLESS.CF.ANN.132.0000-156.0000	iption		Final Destination Br
			Width (IN)					AT #S	MUST RECEIVE AT TIME OF DELIVERY	\ \		ASTM A276	.STAINLESS.			n Branch - MON
		156.0000	Length (IN)						T-TIME OF D	13.0000 FT	Invoice Qty		CF.ANN.132.0			
		106.3400	Length (IN) Shipped Qty(LBS)						ELIVERY		ty		1000-156.0000			

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned. for credit.

Reviewed by Authorized Castle Metals Representative:

Date:

Name:

EN 10204 (2005) , 3.1 CERTIFICAT DE RECEPTION INSPECTION CERTIFICATE **ABNAHMEPRUEFZEUGNIS** CERTIFICATO DI COLLAUDO



Valbruna s.p.A. Accialerie

Certificato nr: MEST891247/2010/

Conferma ordine nr: E110005145



Marchio di Fabbrica:

Punzone del Collaudatore: stempel des Werksaschverstandgen inspector s stamp/Poincon de l'assayeur

ANVISO di Spedizione: D-BZ100032NA Lieteranzagen Padeng Favilla.

Ordine nr: 006002789 Stock - Canada

Tipo di Elaborazione: E+AOD

Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4 36100 VICENZA (fialia) - Viale della scienza, 25 z.i.

LST 5Z1-MILTON, ONT LST 5Z1-CAN 8724 HOLGATE CRESCENT VALBRUNA CANADA LTD

Produitore: STABILIMENTO DI BOLZANO

Dalea belsennA banzilog: Peeled Annesled Peeled

MIT-S-862 B/1 304/304L 88 6005 E61A MT2A E0/0040E8 8002 41EA MT2A ASME SA320 2007 B8 (2) E0408S H 2499 SMA

OChemical analysis only.

Punzonatura: 304/304L

QQ-S-763 F 304/304L E0\0040E2 010S 674A MT2A E0\00+0E2 A800S BYSA MTZA + 60\00+052 A600S S81A MT2A **ASME SA193 2007 88 1** 004062 H 6693 SMA

4Chemical analysis only.

Qualità: 304/304L / S30403 (9) SEC.II PT.A 2007 EDITION ADD. 2009b (1) SEC.II PT.A 2007 EDITION ADD. 2009b (5) * ISO 16156-3 NACE MR0175* 2003 530400/03 A 5 ASME SA479 2007 S30400/03 3 ASTM A262 2010 PRACTICE E ASTM A320 2008 B8 ASME SA182 2007 S30400/03 o

VAL CANADA 2 304/304L A

Specifiche: Anterengen

ngen / Requirements / Exigences

Marca: MVAISL MAXIVAL

Controllo antimescolanza: OK Controllo visivo e dimensionale: soddista le esigenze: Bound 0000 1,7500 991/191 80-484 147182 115602710 3,206 Pos. nr. 1{em nr. Mr. de poste noducă description Descrip, du produit Pezzi inszkani Pieces Pieces nl - incisnemiQ Oggetto Pos. nr. olleranza นา - ชรรอนุธินกๆ 81 - ose .10 OHO.

Seschiğung varal et dimensions: estletalsesni Controlle varal et dimensions: checks:satistadory

verwechstungprüfung: spectralan Antimixing testing performed: OK Contrôle antimelange fak: r.a.s.

Sono state soddisfatte tutte le condizioni richieste

						00		25		16		84	7	89	12.50	A
	185					89		03					Х	em	รอกสมาชายสมาชา ของสมาชายสมาชาย ของสมาชายสมาชายสมาชายสมาชายสมาชายสมาชายสมาชายสมาชายสมาชายสมาชายสมาชายสมาชายสมาชายสมาชายสมาชายส	olsy
				_		20	-	04	-	37 311		30	nim		Valori richiesti 1	
	140						/ ₆	%		K.S.İ.		η Κ.S.Ι. κ.S.Ι.			UIUI Card dam spec	
	Hands Hands David:			an i o ili ca dechagaine fonaci Value fonaci de fonaci fon	14 14 14	Brundr Brus to c	pung poponpely appag ZUIC	Burius	SprullA erions end3 errollA	EXPOSIZORA Harbertora Reposta elever notant è courcies MR	Office of the control	Snetwamento Supplies aven Supplies aven Supp	oigged oigged membri massu membri	4.	Provente Transparent Stransparent Stransparent Spesser Spesser Spesser Stransparent	TEST
<u></u>	Prueba sobre el material así como entregado Strictione Resillenza Durezza				lest on delivery condition. Finding an include the popular											
				OORDO	диа вин	ry les lehetem	la melas ados	AHUTINE	O DI FOI	TATS OLLA T						

0			Grain size for ASTM E112	A
9	max	ujui		TEST

nagnaT≂D ,teupèletareversti=T,≄gnåfelduet, Cl≂Tangen

Analisi chimica

oyChemical Analysis/Analyse chimque

						00010	71.0	79'0	SÞ'0	18,21	44'1	99'0	210,0	14/192
			680,0	0.030	620,0	060'0	S1,8		% OM	Cr %	%uW	% !S	% 0	
	i		% N_	% S	% d	% ºO	%!N	% nე	70 01	20,00	2,00		050,0 xsm	Schmelze/Coulée
	-	-	001,0	0,030	0,040	-	00,8 08,01	00,1	00'1	00,81	-		- ијш	

Produced without class I-II Ozone depleting substances.

Annealing temperature: 1940°F for 1.50h/water. Solution heat treated tree from continuous carbide network.

Micro and macro etch test: OK

Intergranular corrosion test per ASTM A262 pract. E: ok.

Material is DFARS Compliant

Pagina - 1 dl 2

Il collaudatore di stabilimento / der Werkssachverständige/ Morks inspector / L'agent d'usine

Bolzano,08/07/10

CERTIFICATO DI COLLAUDO ABNAHMEPRUEFZEUGNIS INSPECTION CERTIFICATE CERTIFICAT DE RECEPTION EN 10204 (2005), 3.1



Acciaierie Valbruna _{sp.A}.

Certificato nr: MEST891247/2010/

Conferma ordine nr: EI10005145 Werks/Dur Orden/8el nr.



Marchio di Fabbrica: Zeichen des Liefermwerkes Trade mark Sigle de l'usine produtrice

Punzone del Colfaudatore: Stempel des Wartszachverständgen Inspedor is stampripologon de El assayeur

> 8\SE0001\S4-Q :anoisibaqe ib osivvA LavarignbacquejararioleU

Ordine nr: 006002789 Stock - Canada Bestell/You order/Commande

Tipo di Elaborazione: E+AOD Escrimeteungsar/Meling processe/Mode d' elaborabe

36100 VICENZA (Italia) - Viale delfa scienza, 25 z.i. Slab.: 39100 BOLZANO (Italia) - Via A. Volta, 4 Cliente / Peasieis/Puchasei/Cliente

Cliente / BeatelevPuchaserCent VALBRUNA CANADA LTD 8724 HOLGATE CRESCENT LST 5Z1-MILTON, ONT LST 5Z1-CAN

ONASSIONATION OF STABILIMENTO DI BOLZANO

Deleaq belserinA berlailog : every offeeped belead Peeled

Melted and manufactured in Italy No welding or weld repair Material free from Mercury contamination.

We decisre that the finished product is checked for radioactive contamination through Ponal System when it leaves the production plant. The Quality Management System is Cardilled acc. Pressure Equipment Directive [97/83/IEC] Annex 1,s.,4.3 by TUEV and LLOYD'S.

Pagina - 2 di 2

Il collaudalore di stabilimento / der Werksachversländige/Works inspector / L' agent d' usine

Bolzano,08/07/10

Castle Metals (70 Monto): Items)

POT SAGE	edhly,
2. C	APPROVED:
	COMMENT:
	:S31
	SPECIFICATION:
NOITARONA CORPORATION	SUPPLIER:
oneal	RECEIPT NUMBER:
85e/e	PO/LINE NUMBER:
07871	ITEM CODE:
	MECHANICAL ID:
(hUse)	неат и имвек:

	SHEET SIZE RECEIVED:	0	датрагая үтітиаль
	SHEET SIZE ORDERED:	tt hc	QUANTITY INSPECTED:
5105	THICKNESS RECEIVED:	tt he	QUANTITY RECEIVED:
009'	THICKNESS ORDERED:	29/	MATERIAL CERT REC'D:
		∀ bʁ ऽ ऽ ऽ०ार —	:3TAQ
PELEC	:ON HOTAB \ O9	02.0HEDEM	:JAIA∃TAM

	(4)	Х	DOES THIS REQUIRE AN EXTRUSION REPORT
	N	٨	DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF
	N	(X)	CORRECT M# ON THE MATERIAL
C888C1W	N	R	CORRECT MATERIAL IDENTFICATION
PSCSCH TTH	N	(A)	СОВВЕСТ ВЕР # ТО LINK CERT
CSSA MISH	N	(X)	CORRECT MATERIAL
	(N)	人	РНОТО КЕQUIRED
	N	(A)	CORRECT THICKNESS
	N	(R)	CORRECT MATERIAL
	N		совкест свыи DIRECTION
		Х	СОКВОВІОИ
	N	\mathbb{R}	CORRECT FINISH
		Т	SURFACE DAMAGE
COMMENTS	N) IGCK CK	(CP	DESCRIPTION

				HARDNESS / DUROMETER READING				
				SIZE OF TEST SAMPLE				
				JAIЯЭТАМ 40 ЭЧҮТ				
DUR D	A AUG	НКВ	НВС					
KECORD RESULTS BELOW								
CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK.								

testers located in the Quality Office

:3TAQ	helply	: ETAG
SIGNED OFF BY:	28	INSPECTED BY:
ENGINEERING SIGNOFF (if required)		QC 18 INSPECTION

		(N	7 (EXTRUSION REPORT
· ·	1		1	DOES THIS REQUIRE AN
		(N)	Y	ENGINEERING SIGN OFF
				DOES THIS MATERIAL REQUIRE
		N	0	CORRECT M# ON THE MATERIAL
	C888C1U	N	0	ORRECT MATERIAL IDENTFICATION
	highen will	N	(V)	CORRECT REF # TO LINK CERT
	C8SH.MTSF	N		CORRECT MATERIAL
		N	Y	РНОТО КЕQUIRED
	:	Ň	Q	CORRECT THICKNESS
		N	W	CORRECT MATERIAL
		N	(A)	CORRECT GRAIN DIRECTION
	·	N	Y	соввоеюм
		N	(A)	CORRECT FINISH
		N	X	SURFACE DAMAGE
		(1	V/A	
	COMMENTS	SCK	(CPE	DESCRIPTION
			NC	
SPPT-0	SHEET SIZE RECEIVED: THICKNESS RECEIVED:	+ 00	5 %	QUANTITY RECEIVED: QUANTITY INSPECTED: COTOMORY IN THE REJECTED:
05L'D	THICKNESS OBDEBED:	7107	50	BTAD :arad :arad MATERIAL CERT REC'D:
JCL EC	PO / BATCH NO.:	05/	. Oy	EDEM: MATERIAL: M303

			-				
				HARDNESS / DUROMETER READING			
				SIZE OF TEST SAMPLE			
				TYPE OF MATERIAL			
ם אחם	A AUG	НКВ	НВС				
BECORD RESULTS BELOW							
:HECK'	ARDNESS C	REFORM A	ERIAL AND F	CUT SAMPLE PIECE OF MAT			

testers located in the Quality Office

:DATE:	CCIMM	:3TAQ
SIGNED OLE BA:	12	INSPECTED BY:
ENGINEERING SIGNOFF (if required)		QC 18 INSPECTION

	SHEET SIZE RECEIVED:		:ФИРИТІТУ REJECTED:
	SHEET SIZE ORDERED:	13 4	QUANTITY INSPECTED:
05/1	THICKNESS RECEIVED:	FIG SE	QUANTITY RECEIVED:
OET.1	THICKNESS ORDERED:	10.50/	MATERIAL CERT REC'D:
		₩ 2 2 201¢	:∃TAQ
PCTEG.	PO / BATCH NO.:	OSLI SHOEW	:JAIAERIAL:

	(3)	Y	DOES THIS REQUIRE AN EXTRUSION REPORT
·	(N)	Т	ENGINEERING SIGN OFF
			DOES THIS MATERIAL REQUIRE
CRRCIM	N	\Diamond	CORRECT M# ON THE MATERIAL
alen utst	N	(X)	CORRECT MATERIAL IDENTFICATION
17 12 × 17	N	(3)	CORRECT REF # TO LINK CERT
	N	(Z)	CORRECT MATERIAL
	(10)	人	рното ведијвер
	Ň	(V)	COBBECT THICKNESS
	N	B	CORRECT MATERIAL
	N	₩.	CORRECT GRAIN DIRECTION
	(0)	Т	СОВВОЗІОИ
	N	(Z)	СОКВЕСТ FINISH
	(N)	Y	SURFACE DAMAGE
COMMENTS	N) IGCK CK	(CP	DESCRIPTION

					HARDNESS / DUROMETER READING	
					SIZE OF TEST SAMPLE	
					JAIABTAM 7O 34YT	
1	DUR D	A AUG	87H	НВС		
	KECOKD KESULTS BELOW					
	HECK.	ARDNESS C	A MROPAR	TERIAL AND F	CUT SAMPLE PIECE OF MAT	

testers located in the Quality Office

:DATE:	eelhlhi	:3TAQ
PIGNED OFF BY:	68-6	INSPECTED BY:
ENGINEERING SIGNOFF (if required)		QC 18 INSPECTION

			iality Office	ان عرائ mi bətsəol ان عرائ mi bətsəol			VENTAL TIMOVICE / COTTAGE !
					- 5	DINC	SIZE OF TEST SAMPLE ABN BESS / DUROMETER REA
					-		
	ם אחם	A AUG	BAH	НВС			JAIAETAM 90 B9YT
			BELOW	RD RESULTS			
	ECK.	HARDNESS CHE	REFORM A	9 QNA JAIRE	TAM	30 E	CUT SAMPLE PIECE
					(N)	1	EXTRUSION REPORT
							DOES THIS REQUIRE AN
				(N	٨	ENGINEERING SIGN OLE
				illananer	l NI		PRRECT M# ON THE MATERIAL SECUIRE
				MIDSSSS	N	0	RECT MATERIAL IDENTFICATION
			0/6	1010 #H	N	0	ORRECT REF # TO LINK CERT
			7/20	N 01172	N	(1)	CORRECT MATERIAL
					N.	X	PHOTO REQUIRED
					N	à.	CORRECT THICKNESS
					N	A	CORRECT MATERIAL
		**			N	(A)	СОВВЕСТ СВАІИ DIRECTION
					N	Y	соввоеном
					N	(A)	CORRECT FINISH
					N	人	SURFACE DAMAGE
						<i> </i> //	
		OMMENTS	၁		∂ck	(CP	DESCRIPTION
					Я:	NC	
		SE BECEINED: SE OBDEBED:				25-	дивитту мерестер: ———————————————————————————————————
	1			10	2	00	1 has
3	PED.	PR RECEIVED:			5	-85	QUANTITY RECEIVED:
EX	SC?	SS ORDERED:	THICKNE	1 -	<	20 K	MATERIAL CERT REC'D:
				- 71	5 50	7 80	: ETAG

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

:3TAQ

SIGNED OFF BY:

:3TAQ

INSPECTED BY:

TITY REJECTED: SHEET SIZE RECEIVED:	MAUD
TITY INSPECTED: 35. 50. Pt. SHEET SIZE ORDERED:	TNAUD
ITITY RECEIVED: 35.500 ft THICKNESS RECEIVED: 500 X 3.50	AAUD
IAL CERT REC'D: THICKNESS ORDERED: \$609 × 3,500	ABTAM
APK X X MIT :3TAG	
PETER :: M304 BC SOLX 2.500 POLBATCH NO.: 33739	

	(N)	٨	DOES THIS REQUIRE AN EXTRUSION REPORT
	(2)	Х	DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF
CASCIM	N	(K)	CORRECT M# ON THE MATERIAL
ESTEDE # 74	N	D	CORRECT MATERIAL IDENTFICATION
9LPH WLSH	N		CORRECT REF # TO LINK CERT
	N		CORRECT MATERIAL
	N	人	PHOTO REQUIRED
	Ñ	(X)	CORRECT THICKNESS
	N	R	CORRECT MATERIAL
	N	R	CORRECT GRAIN DIRECTION
	N	Y	СОККОВІОИ
	N	$ \mathbf{\lambda}_2 $	CORRECT FINISH
	N	Ţ	SURFACE DAMAGE
COMMENTS	N) ieck CB	(CP	DESCRIPTION

				HARDNESS / DUROMETER READING
				SIZE OF TEST SAMPLE
				JAIRE OF MATERIAL
a Ana	A AUG	HRB	HBC	
		S BELOW	TUCSER ORC	BECC
HECK.	HARDNESS C	I A MROTERO	TERIAL AND I	CUT SAMPLE PIECE OF MAT

testers located in the Quality Office

:3TAQ	GI WW	:3TAQ
SIGNED OLE BA:	27	INSPECTED BY:
ENGINEERING SIGNOFF (if required)		QC 18 INSPECTION

	:071076	
SHEET SIZE RECEIVED:	מחבבב כ	OUANTITY REJECTED QUANTILY KE
SIZE ORDERED:	SHEEL	PC : CONTITY INSPECTED:
ESS RECEIVED: 373	THICKN	QUANTITY RECEIVED:
ESS ORDERED: 375	THICKN	INTERIAL CERT REC'D:
	7107.7.7.7	AAA
	,,,,,	:3TAQ
PCTECON HOTAN OF	5/80	MATERIAL: MASTAM

	(W)	٨	DOES THIS REQUIRE AN EXTRUSION REPORT
s Annual Carlotte March 172 pm and the 1933	(N)	٨	DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF
a province of the control of the second of t	N	A	CORRECT M# ON THE MATERIAL
CXXXIW	N	X	CORRECT MATERIAL IDENTFICATION
HOU IT OF MUST	N	R	CORRECT REF # TO LINK CERT
7:07	N	X	CORRECT MATERIAL
	(1)	人	РНОТО ВЕQUIRED
	N	D	CORRECT THICKNESS
	N	(2)	CORRECT MATERIAL
	N	B	CORRECT GRAIN DIRECTION
	N	人	СОКВОВІОИ
	N	(D)	СОКВЕСТ FINISH
	N.	人	SURFACE DAMAGE
COMMENTS	вск	I/X (CP) NC	DESCRIPTION

		ACTUATION OF	mender i	TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING			
DUR D	A AUG	ЯЯН	НВС				
RECORD RESULTS BELOW							
CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK.							

testers located in the Quality Office

:= TAQ	Celhihi	:3TAQ
SIGNED OLE BA:	27	INSPECTED BY:
ENGINEERING SIGNOFF (if required)	240	QC 18 INSPECTION

PURCHASE ORDER

Purchase Order ID PO23729

PO Print Date 4/9/2014 Purchase Order Date $\,4/9/2014\,$

Fax: 613 632 1053 Tel: 613 632 9577 Hawkesbury, ON K6A 1K7 1270 Aberdeen Street Dart Acrospace Ltd.



Page Number 1 of 3

1270 ABERDEEN DART AEROSPACE LTD : oT qid2

CANADA HYMKESBURY, ON K6A 1K7

VC-MET001

Order From:

A)

P.O. BOX 4090 STN A A.M. CASTLE & CO. (CANADA) INC. - C/O 910720 **METAUX CASTLE**

TORONTO, ON MSW OE9

Vendor Part Number Taxable OII giM Mbr To tinU Price Description/ Line Reference Red Date/ CD PO Unit Price Red Oty/ Extended Ship Acet: ship Via: VENDOR'S TRUCK EOB FCA - (Free Carrier) Ship To Phone Currency CVD Ship To Contact Terms Of 19N Customer Tax# 10127-2607 SLS6 769 7IS Vendor Phone Customer POID Contact Name Chantal Lavoie Buyer

41.48 9£'66\$

J 24.00

Measure

t/17/2014 Promise Date

4/17/2014

303 HEX BAR .500

303 Round Bar 0.750

M303H0.500

Delivery Comments

Line Comments

M303R0.750

NOTE: AISI 304/316 NOT ACCEPTABLE

ATERIAL: AISI 303 SS HEX BAR AS PER ASTM A582-

Line Total: 9£'66\$

£7.E\$ 80.825\$

4/17/2014 Yes t/17/2014

MATERIAL: AISI 303 SS ROUND BAR AS PER ASTM A582

NOTE: AISI 304/316 NOT ACCEPTABLE

8358.08

Line Total:

:910N

PURCHASE ORDER

Purchase Order ID PO23729

Purchase Order Date $\,4/9/2014$ Porrint Date $\,4/9/2014$

Dart Acrospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7 Tel: 613 632 9577 Fax: 613 632 1053



Page Number 2 of 3

MATERIAL: AISI 304/316 SS ROUND BAR AS PER ASTM A276 t/17/2014 Yes M304R0.375 304 ROUND BAR 0.375 $\rlap{$\nmid$}107/21/\rlap{$\nmid$}$ 65.28 24.00 91,29\$ Line Total: 83.2558 NOTE: AISI 303 NOT ACCEPTABLE AS PER ASTM A276 OR ASTM A240 MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE t/17/2014 W226 1 Yes M304B0.500X2.500 t/17/2014 304 BAR .500 x 2.50 \$14.82 89.2258 Line Total: 27.285.72 NOTE: AISI 303 NOT ACCEPTABLE AS PER ASTM A276 OR ASTM A240 MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE t/17/2014 Yes 304 BAR .625 X 3.00 M304B0.625X3.000 15.00 \$\I07/LI/\$ 18.62\$ 27.285.72 Ship Acet: shiy yia: VENDOR'S TRUCK EOB FCA - (Free Carrier) Ship To Phone Currency CVD Ship To Contact Terms 01 19N 10127-2607 Customer Tax# **Уеваот** Рабове SLS6 769 7IS Customer POID Contact Name Chantal Lavoie Buyer CA TORONTO, ON MSW OE9 P.O. BOX 4090 STN A CANADA A.M. CASTLE & CO. (CANADA) INC. - C/O 910720 HYMKESBURY, ON K6A 1K7 METAUX CASTLE 1570 ABERDEEN Order From: : oT qid2 VC-MET001 DART AEROSPACE LTD

:910N

NOTE: AISI 303 NOT ACCEPTABLE

PURCHASE ORDER

Purchase Order ID PO23729

PO Print Date 4/9/2014 Purchase Order Date 4/9/2014

Fax: 613 632 1053 Tel: 613 632 9577 Hawkesbury, ON K6A 1K7 1270 Aberdeen Street Dart Aerospace Ltd.



Page Number 3 of 3

DART AEROSPACE LTD : oT qid2

HYMKESBURY, ON K6A 1K7 1570 ABERDEEN

VC-MET001

Order From:

A.M. CASTLE & CO. (CANADA) INC. - C/O 910720 METAUX CASTLE

P.O. BOX 4090 STN A

CA LORONTO, ON MSW 0E9

Chantal Lavoie

FCA - (Free Carrier)

10127-2607 Customer POID

(LAD

OT Jan

Terms Customer Tax#

EOB Currency

Buyer

CANADA

VENDOR'S TRUCK

SLS6 769 71S

Ship To Phone Ship To Contact

Vendor Phone

Contact Name

shiv qid?

Ship Acet:

M304R1.750

Line Total:

82.245.28

420.44

t107/L1/t

t107/L1/t Yes

MATERIAL: AISI 304/316 SS ROUND BAR AS PER ASTM A276

NOTE: AISI 303 NOT ACCEPTABLE

82.245.28

91.29\$

Line Total:

00.0\$

00.0\$

1,00

\$10Z/LI/\$

OUALITY CLAUSES PROCUREMENT

304 ROUND BAR 1.750

St-10t1L

oN

t/17/2014

A012 chemical and physical test report A005 right of entry Procurement Quality Clauses

A017 raw material identification (as applicable) A016 personnel qualification

A041 quality management system A026 certification of material conformance

A043 retention of quality documents A042 dart notification by supplier

00.0\$

Line Total:

87'901'1\$

PO Total:

requirements. To learn in detail, please visit www.dartaerospace.com for further explaination. Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quálity Clauses are an integral part of our AS9100